


Testing Plugs


**Western-Min
TAE
USB
HDMI**





Testing Plugs for

Western-Min - TAE - USB - USB Mini - USB Micro - HDMI



Western-Min-Plugs

for contacting in
4 pin (RJ-10), 6 pin (RJ-12), 8 pin (RJ-45)
and 10 pin (RJ-48) sockets

USB-Plugs type A and type B

for contacting in 4 pin -sockets

USB-Mini type B

for contacting in 5 pin sockets

USB-Micro type B

for contacting in 5 pin sockets

TAE-Plugs

for contacting in 6 pin sockets

HDMI-Plugs

for contacting in 19 pin sockets

Power DC plug-in connection

More Testing-Plugs are available on request.

Alternatively, with accessories as:

Floating and self-centering locating shoes.

Cable and plug fabrication according to customer requirements.

Complete contacting unit with pneumatic actuation and sensors for path monitoring.

CuBe contact wires, suitable for high number of plugging cycles.











Testing Plugs

for Western-Min-Sockets



	4-pin Western-Min-testing plugs	no cord set order number 1014-54-000	cord set (300 mm – cord) order number 1014-53-000
	6-pin Western-Min-testing plugs	no cord set order number 1014-52-000	cord set (300 mm – cord) order number 1014-51-000
	8-pin Western-Min-testing plugs	no cord set order number 1014-56-000	cord set (300 mm – cord) order number 1014-55-000
	10-pin Western-Min-testing plugs	no cord set order number 1014-58-000	cord set (300 mm – cord) order number 1014-57-000
	6-pin Western-Min-testing plugs extended	no cord set order number 1014-29-000	cord set (300 mm – cord) order number 1552-92-000
	6-pin Western-Min-testing plugs extended	no cord set order number 1014-92-000	cord set (300 mm – cord) order number 1552-93-000










Testing Plugs

for USB-Sockets



	4-pin USB testing plug Type B	no cord set order number 1014-46-000	cord set (300 mm – Cord) order number 1014-16-000
	4-pin USB testing plug Type A	no cord set order number 1014-40-000	cord set (300 mm – Cord) order number 1014-48-000
	5-pin USB testing plug Mini Type B	no cord set order number 1014-66-000	cord set (300 mm – Cord) order number 1014-65-000
	5-pin USB testing plug Micro Type B	no cord set order number 1552-57-000	cord set (300 mm – Cord) order number 1552-61-000





Testing Plugs

for special plug connections




	6-pin TAE testing plug	no cord set order number 1014-28-000	cord set (300 mm – Cord) order number 1014-50-000
	19-pin HDMI testing plug	no cord set order number 1552-59-000	cord set (300 mm – Cord) order number 1552-70-000
	Power DC plug-in connection Ø 2,1	no cord set order number 1638-07-000	cord set (300 mm – Cord) order number 1638-08-000


More Testing-Plugs are available on request.




System plug mobile
Type Lumberg




Testing Plug
RTX 13-pin



USB plug mini Type B
with center unit



LVDS-Plug
JAE-MX...



Sensor Plug 5-pin
(M12) with interface





Testing Plugs

Accessories, fitting and mounting parts




	order number 1014-43-000	Mounting Shoe for Western-Min-Test plug (4-pin) <u>graduated price scale</u>	
	order number 1014-44-000	Mounting Shoe for Western-Min-Test plug (6-pin) and USB (4-pin) <u>graduated price scale</u>	
	order number 1014-45-000	Mounting Shoe for Western-Min-Test plug (8 + 10-pin)	
	order number 1004-02-000 1004-03-000	Contacting unit for Test plugs <i>Without test plug and mounting shoe</i> Spring-loaded contacting unit Spring-loaded contacting unit with pneumatic actuation	







Accessories

	order number 1669-01-000	latch
---	--	--------------

	order number 1006-01-000	board marker with suspended carbide-tipped graver Ø3mm and 24V DC motor with gear 1,5W
---	--	--

	order number 1006-39-000	board marker consisting of: suspended carbide-tipped graver Ø3mm 24V DC motor with gear 1,5W, inclusive tachometer generator, (without threshold switch and Sub-D-connecting cable)
---	--	--



	order number 1006-26-000	board marker consisting of: suspended HM-cutter Ø3mm 24V DC motor with gear 1,5W, inclusive tachometer generator, threshold switch and 9 pin Sub-D-connecting cable (5m),
---	--	--



Some examples for function usage

Mounted in a drawer system for specific test items:

- Western-Min-Plugs 4-pin and 6-pin and
- Mini-USB-Plugs



- Mounted in inline fixture:
- Western-Min-Plugs 8-pin



Mounted in debugging fixture:

- USB-Plug type A

